

**Cheshire & Merseyside Local Health Resilience Partnership (LHRP)
Emergency Preparedness, Resilience and Response (EPRR) assurance 2017-2018**

STATEMENT OF COMPLIANCE

Liverpool Heart and Chest Hospital has undertaken a self-assessment against required areas of the [NHS England Core Standards for EPRR v5.0](#).

Following assessment, the organisation has been self-assessed as demonstrating the Full compliance level (from the four options in the table below) against the core standards.

Compliance Level	Evaluation and Testing Conclusion
Full	Arrangements are in place and the organisation is fully compliant with all core standards that the organisation is expected to achieve. The Board has agreed with this position statement.
Substantial	Arrangements are in place however the organisation is not fully compliant with one to five of the core standards that the organisation is expected to achieve. A work plan is in place that the Board or Governing Body has agreed.
Partial	Arrangements are in place however the organisation is not fully compliant with six to ten of the core standards that the organisation is expected to achieve. A work plan is in place that the Board or Governing Body has agreed.
Non-compliant	Arrangements in place do not appropriately address 11 or more core standards that the organisation is expected to achieve. A work plan has been agreed by the Board or Governing Body and will be monitored on a quarterly basis in order to demonstrate future compliance.

The results of the self-assessment were as follows:


Number of applicable standards	Standards rated as Red	Standards rated as Amber	Standards rated as Green
45 (LHCH is a specialist tertiary Trust with no A&E therefore not all HAZMAT/CBRN standards are deemed to be applicable)	XX	XX	45
Acute providers: 60** Specialist providers: 51** Community providers: 50** Mental health providers: 48** CCGs: 38			

****Also includes HAZMAT/CBRN standards applicable to providers: Standards: Acutes 14 / Specialist, Community, Mental health 7 Ambulance Service are required to report statements for 3 compliance levels as stated on page 6 of the Gateway letter 06967**

Where areas require further action, this is detailed in the attached core standards improvement plan and will be reviewed in line with the organisation's EPRR governance arrangements.

I confirm that the above level of compliance with the core standards has been agreed by the organisation's board / governing body along with the enclosed action plan and governance deep dive responses.

Signed by the organisation's Accountable Emergency Officer



13th Sept 2017
