Reference FOI202324//026 Number: From: Commercial Date: 14 April 2023 Details of the Trusts use of Radio frequency identification technology Subject: Name of Trust Q1 **A1 Liverpool Heart and Chest Hospital** Q2 Number of beds A2 152 general and acute beds 30 Critical care beds Q3 Number of sites **A3** One Q4 Do you use any kind of RFID (Radio frequency identification technology)? No A4 If yes, what do you use RFID for? Q5 **A5** Information not held - As per A4 Please list the types of RFID being used (e.g. passive/active/BLE/WiFi, etc.) Q6 A6 Information not held - As per A4 Q7 If using passive and active, what is the breakdown of the items using each (i.e. 20,000 passive devices and 20,000 active)? **A7** Information not held - As per A4 If used for asset tracking, how many assets are being tracked? Q8 **8A** Information not held - As per A4 Q9 What type of assets are you tracking, e.g. medical devices/IT/estates/other?

What is the total value of the medical devices held within the hospital/Trust?

A9

Q10

A10

Information not held - As per A4

£30,000,000

| Q11 | Who is your current supplier of RFID? |
|-----|---|
| A11 | Information not held - As per A4 |
| Q12 | When is your current contract up for renewal? |
| A12 | Information not held - As per A4 |
| Q13 | How much is your annual support from this provider? |
| A13 | Information not held - As per A4 |
| Q14 | What level of support do you receive? |
| A14 | Information not held - As per A4 |
| Q15 | Are you GS1 compliant (as part of the Department of Health and Social care framework for 'scan4safety')? |
| A15 | Yes |
| Q16 | Which departments are GS1 compliant, i.e. medical devices/sterilisation department/medical records? |
| A16 | The Trust's Patient Access System is GS1 compliant |
| Q17 | Is the current software interfaced with any other programmes in the hospital, such as asset management programmes? If yes, which programmes? |
| A17 | Information not held - As per A4 |
| Q18 | What is the current software used for sterilisation? |
| A18 | Information not held – the Trust does not have a Sterilisation department as this is mostly outsourced. |
| Q19 | What is the current software and process for procurement? |
| A19 | We currently utilise Oracle SBS Shared Services software for our finance and procurement system. End users within the trust raise requisitions through the system which are then processed by Procurement for any goods or services within the Trust. |
| Q20 | Are you using a EPR (Electronic patient record system)? |
| A20 | Yes |
| Q21 | Is your RFID on prem or cloud hosted? |
| A21 | Information not held - As per A4 |
| Q22 | What is your IT infrastructure like? |



- Age of server
- How are requests made to IT for change/issues? Are these dealt with promptly?
- Infrastructure age rages from 1 years to 5 years old depending on solution and refresh cycle.
 - Via our services desk. Tickets are dealt with promptly and within defined Service Level Agreements within most cases.
- Q23 Do you use a Microsoft Windows operating system? If yes, what version is this?
- Yes, we have a mixture of versions of Windows 10 on desktop, 2008 up to 2019 on servers.