

Reference FOI/2019/200

Number:

From: Private Individual

Date: 16 May 2019

Subject: Decontamination and disinfection

- Q1 What cleaning methods does the trust currently use for room and theatre disinfection?
- A1 Range of fibre mopping system, disposable mopping system, steam cleaning, scrubbing machines and UVC machine. Versatile and Actichlor cleaning chemicals/detergents/disinfections.
- Q2 Does the trust employ an external cleaning company and if so who is this?
- A2 No, we do not employ an external cleaning company. Clinic area cleaning is a shared service with another hospital. We have a service level agreement with the Royal Liverpool and Broadgreen University Hospitals NHS Trust who have appointed ISS Mediclean Limited.

External cleaning in Clinic ECG/Pulmonary Function, Cardiac Rehab and Radiology

Internal cleaning in majority of areas, for Critical Care, Theatres, Cath Labs, all wards, Day ward, admission facility, public toilets, corridors, offices and departments

- Q3 Does the trust currently have UVC machines for decontamination? If so how many units and which supplier / manufacturer?
- A3 Yes. 1 unit Ultra-V UV-C decontamination system from Specialist Hygiene Solutions Limited
- Q4 When were these purchased or rented and when are these contracts due to expire?
- A4 March 2018
- Are there any tenders outstanding for either UVC or Vaporised Hydrogen Peroxide(HPV) and what are the closing dates?
- A5 There no tenders outstanding for either UVC or Vaporised Hydrogen Peroxide(HPV)